

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	((vladimir near3 sachenko) or (timmm near3 falter) or (martin near3 huvar)).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 14:45
S2	0	"10749735"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 14:45
S3	299	(sap adj aktiengesellschaft).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 14:46
S6	0	(sap adj aktiengesellschaft).as. (web with service with proxy).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 14:48
S7	5	(sap adj aktiengesellschaft).as. (web with service).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 14:49
S8	78	((web adj service) with client with proxy) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 14:54
S9	48	((web adj service) with client with proxy) ((description or context) with (web adj service)) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 14:58

S10	24	((web adj service) with client with proxy) ((description or context) with (web adj service)) ((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy))(@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 15:04
S11	11	((web adj service) with client with proxy) ((description or context) with (web adj service)) ((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy))(authentikat\$5) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 17:35
S12	11	((web adj service) with client with proxy) ((description or context) with (web adj service)) ((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy))(authentikat\$5) (implement\$6) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 13:39
S13	3	((web adj service) with client with proxy) ((description or context) with (web adj service)) ((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy))(authentikat\$5) (implement\$6) (@ad<"20031230") (X?509)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/04 16:11
S14	11	((web adj service) with client with proxy) ((description or context) with (web adj service)) ((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy))(authentikat\$5) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 10:59
S15	7	S14 wrap\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 10:59

S19	11	((web adj service) with client with proxy) ((description or context) with (web adj service)) ((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy))(authenticat\$5) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 07:35
S20	2	S19 and (regenerat\$ or recreat\$ or re?generat\$4 or re?create)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 15:08
S21	11	((web adj service) with client with proxy) ((description or context) with (web adj service)) ((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy))(authenticat\$5) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 15:09
S22	0	S21 and ((re-start\$4 or restart\$4) with session)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 15:09
S23	0	((web adj service) with client with proxy) and ((re-start\$4 or restart\$4) with session) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 15:10
S24	0	((web adj service) with client with proxy) and ((re?start\$4 or restart\$4) same session) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 15:11
S25	11	((web adj service) with client) and ((re?start\$4 or restart\$4) same session) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 15:11
S26	2475	709/230.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:10

S27	5	709/230.ccls. ((web adj service) with client with proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:12
S28	7324	(726/2-21).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:13
S29	14	(726/2-21).ccls. ((web adj service) with client with proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:16
S30	5	(726/2-21).ccls. ((web adj service) with client with proxy) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:13
S31	88	(709/201-237).ccls. ((web adj service) with client with proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:17
S32	5	((709/201-237).ccls. ((web adj service) with client with proxy) ((description or context) with (web adj service))((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy)) (authenticat\$5) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:18
S34	0	((web adj service) with client with proxy)((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy)) (authenticat\$5)(session) (certificate or X?509)(plug near2 play) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 07:39

S35	4	((web adj service) with client with proxy)((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy)) (authenticat\$5)(session) (certificate or X?509) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 07:38
S36	0	((web adj service) with client with proxy)((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy)) (authenticat\$5)(session) (certificate or X?509)(plug play) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 07:38
S37	5	((web adj service) with client with proxy)((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy)) (authenticat\$5)(plug near2 play) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 10:15
S38	16	((select\$4 or choos\$4 or set \$4 or config\$8) with authenticat\$4 with type) ((web adj service) with client) (@ad< "20031231")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 09:50
S39	3	((select\$4 or choos\$4 or set \$4 or config\$8) with authenticat\$4 with type with client) ((web adj service) with client) (@ad< "20031231")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 09:52
S40	62	(authenticat\$4 with (type or protocol or configuration) with client) ((web adj service) with client) (certificate or X?509) (@ad< "20031231")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 09:53
S41	34	(authenticat\$4 with (type or protocol or configuration) with client) ((web adj service) with client) (certificate or X?509)(proxy near client) (@ad< "20031231")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 09:54
S42	34	(authenticat\$4 with (type or protocol or configuration) with client) ((web adj service) with client) (certificate or X?509)(proxy near client)(implement\$6 with client) (@ad< "20031231")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 09:55

S45	0	((web adj service) with client with proxy)((regenerat \$4 or re?generat\$4 or re? creat\$4 or recreat\$4) with (client) with (proxy or code)) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 10:16
S46	0	((web adj service) with client with proxy)((regenerat \$4 or re?generat\$4 or re? creat\$4 or recreat\$4) with (web service client)) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 10:17
S47	15	(web adj service) ((regenerat \$4 or re?generat\$4 or re? creat\$4 or recreat\$4) with (web service)) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 10:19
S48	0	(web adj service) ((regenerat \$4 or re?generat\$4 or re? creat\$4 or recreat\$4) with (web service))(client near proxy)(@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 10:20
S49	2	(web adj service) ((regenerat \$4 or re?generat\$4 or re? creat\$4 or recreat\$4) with (web service))(client proxy) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 10:20
S50	5	(web adj service) ((regenerat \$4 or re?generat\$4 or re? creat\$4 or recreat\$4 or reproduc\$4 or re?produc\$4) with (web service))(client proxy) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 10:24
S53	406	(web adj service) (authentikat\$4 or certificat \$6 or X?509) ((generat\$4 or creat\$4 or produc\$4 or regenerat\$4 or recreat\$4 or reproduc\$5) with client) (protocol session implement \$6)(@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 10:30
S54	51	(web adj service) (authentikat\$4 or certificat \$6 or X?509) ((generat\$4 or creat\$4 or produc\$4 or regenerat\$4 or recreat\$4 or reproduc\$5) with client with proxy)(protocol session implement\$6) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 10:30

S55	48	(web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy) (implement\$7 with (web adj service)) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 16:43
S56	1	"60406786"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 15:39
S57	145	(web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:31
S58	65	(web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy)((GUI or (user adj interface) or menu or option) with (select \$4 or choos\$4 or set\$4)) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:25
S59	97	(web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy)((GUI or (user adj interface) or menu or option) with (select \$4 or choos\$4 or set\$4)) or (design))(@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:26
S60	97	(web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy) (((GUI or (user adj interface) or menu or option) with (select\$4 or choos\$4 or set\$4)) or (design)) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:28
S62	37	(web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy) (((GUI or (user adj interface) or menu or option) with (select\$4 or choos\$4 or set\$4)) or (design or updat\$4 or chang \$4 or config\$7)) with (web adj service)) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:30

S64	91	((web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy) (((GUI or (user adj interface) or menu or option) with (select\$4 or choos\$4 or set\$4)) or (design or updat\$4 or chang\$4 or config\$7)) with ((web adj service) or (client with proxy))) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:31
S65	54	S64 not S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:36
S66	25	S64 not S62 not (accenture). as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/11 07:43
S71	240	((web adj service) with client with proxy) (ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/29 13:21
S72	117	((web adj service) with client with proxy)(protocol with implement\$6) (ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/29 13:21
S73	102	((web adj service) with client with proxy)(protocol with implement\$6)(WSDL or (description near2 (web adj service)))(ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/29 13:22
S75	102	((web adj service) with client with proxy)(protocol with implement\$6)(WSDL or (description near2 (web adj service)))(re\$2generat\$4 or re\$2creat\$4 or generat\$4 or creat\$4) near3 (web adj service) or proxy) (ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/29 13:25

S76	53	((web adj service) with client with proxy)(protocol with implement\$6)(WSDL or (description near2 (web adj service))))((re\$2generat\$4 or re\$2creat\$4 or generat\$4 or creat\$4) near3 (web adj service) or proxy)(message near exchange\$4) (ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/29 13:26
S77	47	((web adj service) with client with proxy)(protocol with implement\$6)(WSDL or (description near2 (web adj service))))((re\$2generat\$4 or re\$2creat\$4 or generat\$4 or creat\$4) near3 (web adj service) or proxy)(message near exchange\$4)(security) (ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/29 13:26

2/ 29/ 2008 1:27:53 PM

C:\Documents and Settings\lpham7\My Documents\EAST\Workspaces\2007\10749735.wsp